EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	rotor.clm. and bearing.clm. and mold\$4.clm. and metal \$4.dm. and plural\$4.clm. and washer.clm. and holes. clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 12:18
L6	2441	310/91.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:13
L7	1391	6 and @ad< = "20050309"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:14
L8	0	"310"/\$. and desai.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:18
L9	24	"310"/\$ and desai.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:18
L10	23	"310"/\$.cds. and desai.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:18
L11	1	"10567121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:52

L12	377	f16c035/00.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:54
L13	350	f16c035/00.ipc. and @ad<="20050309"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:54
L14	351	f16c035/00.ipc. and @ad<="20050311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:54
S1	1918	310/91.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 12:19
S2	13	((KENTA) near2 (HATANO)). INV.	US-PGPUB; USPAT	OR	ON	2008/10/24 12:20
S3	11	((KENTA) near2 (HATANO)). INV.	EPO; JPO; DERWENT	OR	ON	2008/10/24 12:22
S4	64	((SOTSUO) near2 (MIYOSHI)).INV.	US-PGPUB; USPAT	OR	ON	2008/10/24 12:23
S5	112	((SOTSUO) near2 (MIYOSHI)).INV.	EPO; JPO; DERWENT	OR	ON	2008/10/24 12:30
S6	15	[US-20040070292-\$ or US-20010002546-\$), did. or (US-64789259-\$ or US-6479358-\$ or US-6479259-\$ or US-636175-\$ or US-6306175-\$ or US-6306175-\$ or US-6306175-\$ or US-6306175-\$ or US-3026124-\$ or WO-3026123-\$ or EP-1174614-\$ or WO-3026123-\$ or EP-1154549-\$), did.	US-PGPUB; USPAT; EPO	OR	ON	2008/10/24 13:39
S7	5	S6 and mold\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:39

S8	3	S6 and metal\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:39
S9	7	S6 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:40
S10	6	S6 and member	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:40
S11	1	S7 and S8 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:40
S12	0	S6 and metal near bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:41
S13	0	S6 and metal\$5 near bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 13:41
S14	46	(US_20080247694.\$ or US_20060244323-\$ or US_20060244323-\$ or US_20060238047-\$ or US_20060238047-\$ or US_2005019847-\$ or US_2005019847-\$ or US_2005019847-\$ or US_20040070292-\$ or US_20040070292-\$ or US_20040070293-\$ or US_727715-\$ or US_6913122-\$ or US_6737771-\$ or US_6488259-\$ or US_6438259-\$ or US_643895-\$ or US_6379955-\$ or US_630200-\$ or US_6279552-\$ or US_6396175-\$ or US_630200-\$ or US_6279552-\$ or US_630200-\$	US-POPUE; USPAT; EPO; JPO	OR	ON	2008/10/24

316	1918	310/91.cols.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
815 (46	(US-20080247694-\$ or US-2006024323-\$ or US-20060278204-\$ or US-20060278204-\$ or US-20060278204-\$ or US-20060278204-\$ or US-20060278204-\$ or US-20050012415-\$ or US-20050012415-\$ or US-2004004798-\$ or US-2004004798-\$ or US-2004004798-\$ or US-274122-\$ or US-358632-\$ or US-6473958-\$ or US-6473958-\$ or US-6473958-\$ or US-6473958-\$ or US-6412753-\$ or US-6396175-\$ or US-6302090-\$ or US-6279552-\$ or US-3026123-\$ or US-3019749-\$ or EP-1154549-\$ or EP-115459-\$ or EP-115459-\$ or EP-115891-\$ or EP-1	US-POPUB; USPAT; EPO; JPO	OR	ON	2008/10/24 14:06
		1310661-\$ or EP-1310660-\$ or WO-3026122-\$ or WO-3026122-\$ or WO-3026122-\$ or WO-3019749-\$ or EP-1174614-\$ or EP-156706-\$ or EP-115450-\$ or EP-115450-\$ or EP-1154549-\$ or EP-1059433-\$ or EP-101859-\$ or EP-1059433-\$ or EP-1018599-\$ or EP-1059433-\$ or EP-1059437-\$ or EP-978931-\$ or WO-9963256-\$ or WO-9957428-\$ or EP-749477-\$ or EP-687842-\$).did. or (JP-2006005987-\$ or JP-2006005987-\$ or JP-200600098-\$ or JP-2006005987-\$ or JP-20060098-\$ or JP-				

S17	846	S16 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
S18	21	S15 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
S19	4	S15 and bearing and metal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:08
\$20	3	310/91.cds, and mold\$5 adj rotor and bearing and metal \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:10
S 21	3	310/91.cds. and (mold\$5 adj rotor) and bearing and (metal metallic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:11
S22	8	310/90.cds. and (mold\$5 adj rotor) and bearing and (metal metallic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:23
S23	0	"310"/\$.cds. and egr and (mold\$5 adj rotor) and bearing and (metal metallic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:31
S24	0	"310"/\$.cds. and egr and (mold\$5 adj rotor) and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:31
S25	26	"310"/\$.cds. and egr and bearing and (support holder spacer bracket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 14:32

S26	21	[("1379334" "2744202" "3845334" "4529900" "4850812" "5053664" "5256924" "5565721" "5714820" "6065946" "6268669" "6333576" "6462450").PN. OR ("6753629").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:46
\$27	9	("20020030415" "4866317" "4902941" "5073735" "5394043" "5532533" "5610458" "5770902" "6753629").PN. OR ("7061146").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:51
S28	3181	310/9\$.cds. and bearing same support	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:54
S29	1773	310/9\$.cds. and bearing same support	USPAT	OR	ON	2008/10/24 14:54
S 30	292	310/91.cds. and bearing same support	USPAT	OR	ON	2008/10/24 14:54
S31	6	310/9\$.ccls. and bearing same support and molded adj rotor	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:54
S32	9	310/9\$.cds. and bearing and (support insert bracket spacer holder) and molded adj rotor	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 14:57
S33	18	("4378767" "4378768" "4381747" "4397275" "4414942" "4432318" "4438614" "5058625" "5099161" "5184593" "5299822" "5451824" "5501201" "5718259" "5769390"), PN, OR ("6365994"), URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 15:10
S34	10	("4549823" "4880207").PN. OR ("4938614").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 15:17
S 35	13	("4378767" "4378768" "4381747" "4397275" "44114942" "4432318" "4938614" "5184593" "5501201" "5718259" "5769390").PN. OR ("6378839").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 15:19
S36	384	384/428.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 15:24

S37	1	S16 and bearing same metal adj (insert support)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 15:59
S38	5	S16 and bearing same metal adj (insert support bracket spacer holder stop\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 16:01
S39	30	(US-20040070292-\$ or US-20010002546-\$ or US-20010002546-\$ or US-20010005346-\$ or US-20030011257-\$ j.did. or (US-6488259-\$ or US-6473958-\$ or US-6412753-\$ or US-6396175-\$ or US-63593-\$ or US-6753629-\$ or US-753629-\$ or US-753629-\$ or US-753629-\$ or US-753629-\$ or US-7536391-\$ or US-6378839-\$ or US-4378767-\$ or US-4378763-\$ or US-4378767-\$ or US-4378763-\$ or US-4378051-\$ or US-4378763-\$ or US-4378	US-POPUE; USPAT; EPO	OR .	ON	2008/10/26 15:25
S40	1	S39 and molded adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:25
S41	4	S39 and mold and rotor and metal and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:27
S42	0	S39 and bearing same metal adj (insert support bracket spacer holder stop\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:31
S43	0	S39 and bearing same metal near (insert support bracket spacer holder stop\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:31

S44	0	S39 and bearing same metal with (insert support bracket spacer holder stop\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:32
S45	2	\$39 and bearing same metal same (insert support bracket spacer holder stop\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:32
S46	61	"310"/\$.ccls. and bearing same metal adj (insert support bracket spacer holder stop\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S47	58	"310"/\$.cols. and bearing same metal adj (insert support bracket holder)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S48	51	"310"/\$.cols. and bearing same metal adj (insert support holder)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S49	26	"310"/\$.cds. and bearing same metal adj (insert)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 15:33
S50	15	"310"/\$.ccls. and bearing same metal adj (insert)	USPAT	OR	ON	2008/10/26 15:34
S51	28	("2814744" "3256590" "3319093" "3720914" "3740598" "3858070").PN. OR ("4048530").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:38
S52	11	("3757147" "4048530" "4944611" "4980587").PN. OR ("5166565").URPN.	US-PGPUB; USPAT; USOOR	OR	ON	2008/10/26 15:42
S53	3	"310"/\$.ccls. and bearing near retainer near metal	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:54
S54	1	"10567121"	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 16:01
S 55	0	molded adj rotor near metal adj insert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/10/27 10:32

S56	2	molded adj rotor same metal adj insert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:32
S57	1	molded adj rotor and bearing same metal adj insert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:32
S58	1	molded adj rotor and bearing same metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:33
S59	4	molded adj rotor and bearing and metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:33
S60	4487	bearing same metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:34
S61	77	bearing adj metal adj (insert bracket holder spacer stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:34
S62	O	S61 and molded adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:34
S63	67	bearing adj metal adj (insert stopper support)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:35
S64	29	bearing adj metal adj (insert)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:35

S65	38	S63 not S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:39
866	35	(US-20040070292-\$ or US-20010002546-\$ or US-2001000546-\$ or US-20010005346-\$ or US-2001005346-\$ or US-20030011257-\$), did. or (US-648259-\$ or US-643958-\$ or US-643958-\$ or US-643759-\$ or US-635994-\$ or US-63769390-\$ or US-4377678-\$ or US-4378767-\$ or US-4378768-\$ or US-1727778-\$ or US-4378768-\$ or US-597524-\$ or US-5975	US-PGPUB; USPAT; EPO	OR	ON	2008/10/27
S67	1	S66 and molded adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:44
968		S66 and mold\$4 adj rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:44
S69	1	S66 and mold\$4 near rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:44
S70	1	*10567121*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:45

S71	2	*20010002546*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:45
S72	4	"5831360"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 10:54
S73	9	"5166565"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 11:04
S74	8	"5166565"	USPAT	OR	ON	2008/10/27 11:04
S75	15	"4340830"	USPAT	OR	ON	2008/10/27 11:49
S76	426	bearing adj (insert support) same(concave convex)	USPAT	OR	ON	2008/10/27 11:50
S77	0	S76 and mold\$3 adj rotor	USPAT	OR	ON	2008/10/27 11:51
S78	66	S76 and molded	USPAT	OR	ON	2008/10/27 11:51
S79	17	S76 and molded and rotor	USPAT	OR	ON	2008/10/27 11:51
S80	91	bearing adj (insert) same (concave convex)	USPAT	OR	ON	2008/10/27 12:11
S81	14	bearing adj (insert) near (concave convex)	USPAT	OR	ON	2008/10/27 12:11
S82	0	"2001002546"	USPAT	OR	ON	2008/10/27 12:15
S83	0	"2001002546"	US-PGPUB	OR	ON	2008/10/27 12:15
S84	1	"20010002546"	US-PGPUB	OR	ON	2008/10/27 12:15
S85	1	"20050082918"	US-PGPUB	OR	ON	2008/10/27 12:16
S86	4	"6157106"	US-PGPUB	OR	ON	2008/10/27 14:27
S88	10	"6157103"	USPAT	OR	ON	2008/10/27 14:27
S89	3	"2002347631"	EPO; JPO; DERWENT	OR	ON	2008/10/27 15:06
S90	1	2003-099255.NFAN.	DERWENT	OR	ON	2008/10/27 15:07

S91	388	384/428.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:11
S92	1938	310/91.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:43
S93	1339	S92 and @ad<="20040614"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:44
S94	486	\$93 and bearing and support	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:44
S95	115	S93 and bearing near support	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:44
S96	340	S93 and bearing same support	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:44
S97	81	S93 and bearing adj support	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:44
S98	5	("2885583").PN. OR ("3777195").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/25 16:52
S99	1	"10561121"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:22
S100	1	"10567121"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:22
S101	50	"310"/\$.cds. and bearing near mold\$4 same (support hold\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:35

S102	21	"310"/\$.ccls. and bearing near mold\$4 near (support hold\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; [BM_TDB	OR	ON	2009/03/30 11:36
S103	0	"310"/\$.cds. and bearing adj mold\$4 near (support hold \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:36
S104	0	"310"/\$.cds. and bearing near mold\$4 same (support hold\$4) and egr	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:58
S105	0	bearing near mold\$4 same (support hold\$4) and egr	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:58
S106	10	bearing with mold\$4 same (support hold\$4) and egr	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:58
S107	11	*6157103*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 12:24
S108	17	("3694909" "4393319" "5052656" "5060910" "5137255" "5138208" "5501201" "5912520").PN. OR ("6157103").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/30 12:36
\$109	115	(US_20080247694-\$ or US_2006024323-\$ or US_20060278204-\$ or US_20060278204-\$ or US_20060278204-\$ or US_2005001847-\$ or US_2005001847-\$ or US_20050012415-\$ or US_20040040798-\$ or US_20040040798-\$ or US_200400407938-\$ or US_2006012183-\$ or US_2008012183-\$ or US_20080121825-\$ or US_20070241625-\$ or US_20070241625-\$ or US_2004061410-\$ or US_200300130340-\$ or US_20030011257-\$ or US_20030011257-\$ or US_20030011257-\$ or US_20030011257-\$ or US_2003011257-\$ or US_2003011257	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/30 14:44

20050082918-\$ or US-20040140730-\$ or US-20020148453-\$ or US-20020056822-\$).did. or (US-7358632-\$ or US-7274122-\$ or US-6913122-\$ or US-6737771-\$ or US-6546920-\$ or US-6488259-\$ or US-6473958-\$ or US-6412753-\$ or US-6396175-\$ or US-6302090-\$ or US-6279552-\$ or US-5351935-\$ or US-7012352-\$ or US-6753629-\$ or US-7061146-\$ or US-4947539-\$ or US-6414406-\$ or US-6365994-\$ or US-5769390-\$ or US-5718259-\$ or US-4938614-\$ or US-6378839-\$ or US-4378767-\$ or US-4378768-\$ or US-2775400-\$ or US-1772778-\$).did. or (US-7091639-\$ or US-6734591-\$ or US-6420811-\$ or US-6368039-\$ or US-6353274-\$ or US-6288466-\$ or US-6166468-\$ or US-5977675-\$ or US-5977671-\$ or US-5975234-\$ or US-4048530-\$ or US-5166565-\$ or US-5788210-\$ or US-5831360-\$ or US-4340830-\$ or US-4234808-\$ or US-3685926-\$ or US-6190245-\$ or US-6183136-\$ or US-6126694-\$ or US-6120546-\$ or US-5520294-\$ or US-4213523-\$ or US-3709151-\$ or US-6157103-\$ or US-3777195-\$ or US-6081056-\$).did. or (US-5770907-\$ or US-5567998-\$ or US-6193211-\$ or US-6089536-\$ or US-5912520-\$).did. or (WO-2007111031-\$ or WO-2005124970-\$ or EP-1310661-\$ or EP-1310660-\$ or WO-3026124-\$ or WO-3026123-\$ or WO-3026122-\$ or WO-3019749-\$ or EP-1174614-\$ or EP-1256706-\$ or FP-1154550-\$ or EP-1154549-\$ or EP-1113569-\$ or FP-1089416-\$ or EP-1059433-\$ or EP-1018599-\$ or EP-1010887-\$ or EP-985817-\$ or EP-978931-\$ or WO-9963256-\$

	***************************************	or WO-9957428-\$ or EP- 7743477-\$ or EP-887842-\$ or DE-3706226-\$ or GB- 2251272-\$ or GB-2062365- \$).did. or (JP-2006005987-\$ or JP-2005257047-\$ or JP- 2002347631-\$ or JP- 2002347631-\$ or JP-10797410- \$ or JP-54008246-\$ or JP- 02250649-\$).did. or (DE- 2215028-\$ or JP- 2002347631-\$).did.			***************************************	
S110	36	S109 and metal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 14:46
S111	4	"5831360"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 17:12

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	248	384/428.ccls.	USPAT; UPAD	OR	ON	2009/07/16 11:52
L3	0	rotor.clm. and mold\$4. clm. and metal\$4.clm. and plural\$4.clm. and washer.clm. and holes. clm.	USPAT; UPAD	OR	ON	2009/07/16 12:18
L4	0	rotor.clm. and bearing. clm. and mold\$4.clm. and metal\$4.clm. and plural\$4. clm. and washer.clm. and holes.clm.	USPAT; UPAD	OR	ON	2009/07/16 12:18

7/16/2009 3:10:55 PM

C:\ Documents and Settings\ ndesai\ My Documents\ EAST\ Workspaces\ 10567121.wsp